

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5842	((709/225) or (709/228) or (705/50) or (705/51) or (380/28-29) or (380/247) or (380/37) or (726/2-5) or (726/13) or (726/14) or (726/27) or (726/30) or (713/151)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:05
L2	2283	L1 and (tcp/udp esp tcp (transport near3 protocol\$1) (network near3 protocol\$1) (layer\$1 near2 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:10
L3	2166	(header\$1) near5 (tcp/udp esp tcp (transport near3 protocol\$1) (network near3 protocol\$1) (layer\$1 near2 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:08
L4	3398	(header\$1) near5 (crypto\$9 encrypt\$7 encipher\$9 cipher\$9 algorithm\$5 tcp/udp esp tcp (transport near3 protocol\$1) (network near3 protocol\$1) (layer\$1 near2 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:12
L5	310	I2 and I4	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:09
L6	8786	(packet\$1 datagram\$1 messsag\$3) near6 (tcp/udp esp tcp (transport near3 protocol\$1) (network near3 protocol\$1) (layer\$1 near2 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:10
L7	197	I6 and I5	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:10
L8	27674	(rule\$1 regulat\$4 polic\$4 condition\$1 associat\$3 apply\$3 predetermin\$7) near5 (crypto\$9 encrypt\$7 encipher\$9 cipher\$9 algorithm\$5 esp)	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:13
L9	62	I7 and I8	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:27
L10	32	I9 and (plaintext\$4 plain-text\$3 (plain near3 text\$3) cleartext\$4 clear-text\$4 (clear near3 text\$1) unencrypt\$4 unencipher\$8 uncipher\$9 un-encrypt\$8 un-encipher\$8)	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:46

## EAST Search History

L11	353	(traslat\$4 transfor\$8) near4 (plaintext\$4 plain-text\$3 (plain near3 text\$3) cleartext\$4 clear-text\$4 (clear near3 text\$1) unencrypt\$4 unencipher\$8 uncipher\$9 un-encrypt\$8 un-encipher\$8)	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:47
L12	8	l11 and (l3 and l6)	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:47
L13	15	l11 and (l3 l6)	USPAT; IBM_TDB	OR	OFF	2006/09/18 18:47

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	18880	(packet\$6 datagram\$1 message\$1) near5 (header\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:25
L3	47386	(portion\$1 block\$1 part\$1) near5 (packet\$6 datagram\$1 message\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 15:42
L4	27266	(protocol\$1) near5 (packet\$6 datagram\$1 message\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:36
L5	6596	l2 and l3 and l4	USPAT; IBM_TDB	OR	OFF	2006/09/18 15:42
L6	4612	l5 and (tcp/udp tcp ip (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 15:54
L7	3870	l6 and ( (network\$3 near3 layer\$1) (ip near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 15:56
L8	2884	(portion\$1 block\$1 part\$1) near5 (tcp/udp tcp (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:22
L9	1832	(portion\$1 block\$1 part\$1) near5 ( (network\$3 near3 layer\$1) (ip near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 15:58
L10	579	l8 and l9	USPAT; IBM_TDB	OR	OFF	2006/09/18 15:58
L11	312	l2 and l10	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:06
L12	6183	(tcp ip protocol\$1) near5 (header\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 15:58
L13	247	l11 and l12	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:04
L14	1006	(encrypt\$8 encipher\$9 cipher\$9 crypto\$9) near4 (rule\$1 polic\$3 condition\$1 regulation\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:49
L15	7	(translat\$4) near3 (cleartext\$1 clear-text\$1 (clear near3 text\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:25
L17	15	l13 and l14	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:06
L18	2	l17 and (plaintext\$1 plain-text\$1 (plain near3 text\$1) cleartext\$1 clear-text\$1 (clear near3 text\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:06
L19	264	l12 and l10	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:24
L20	15	l19 and l14	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:06

## EAST Search History

L22	15	l20 and (translat\$4 plaintext\$1 plain-text\$1 (plain near3 text\$1) cleartext\$1 clear-text\$1 (clear near3 text\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:06
L23	1035	(portion\$1 block\$1 part\$1 packet\$6 datagram\$1 message\$1) with (configur\$4 paramet\$6) with ((network\$3 near3 layer\$1) (ip near3 protocol\$1) tcp/udp tcp (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:44
L24	468	l12 and l23	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:24
L25	20197	(packet\$6 datagram\$1 message\$1 ip protocol\$1) near5 (header\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:49
L26	460	l24 and l25	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:25
L27	719	(translat\$4 chang\$3 modif\$9 alter\$9 transform\$8) near6 (plaintext\$1 plain-text\$1 (plain near3 text\$1) cleartext\$1 clear-text\$1 (clear near3 text\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:09
L28	4047	(encrypt\$8 encipher\$9 cipher\$9 crypto\$9) near4 (rule\$1 polic\$3 protocol\$1 header\$1 condition\$1 regulation\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:27
L29	1	l26 and l27 and l28	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:27
L30	2662	(portion\$1 block\$1 part\$1 packet\$6 datagram\$1 message\$1 field\$1 value\$1) with (configur\$4 paramet\$6 set\$4 appoint\$4) with ((network\$3 near3 layer\$1) (ip near3 protocol\$1) tcp/udp tcp (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:24
L31	21012	(packet\$6 datagram\$1 message\$1 ip protocol\$1 network\$3) near5 (header\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:47
L32	1394	l30 and l31	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:23
L33	218587	(translat\$4 chang\$3 modif\$9 alter\$9 transform\$8) near6 (data datablock\$1 plaintext\$1 plain-text\$1 (plain near3 text\$1) cleartext\$1 clear-text\$1 (clear near3 text\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:09

## EAST Search History

L34	733	I32 and I33	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:48
L35	16889	(encrypt\$8 encipher\$9 cipher\$9 crypto\$9 algorithm\$1) near6 (associat\$4 rule\$1 polic\$3 condition\$1 regulation\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:51
L36	125	I34 and I35	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:52
L37	20361	(encrypt\$8 encipher\$9 cipher\$9 crypto\$9 algorithm\$1) near6 (associat\$4 rule\$1 polic\$3 condition\$1 regulation\$1 protocol\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:51
L38	16212	(encrypt\$8 encipher\$9 cipher\$9 crypto\$9 algorithm\$1) near4 (associat\$4 rule\$1 polic\$3 condition\$1 regulation\$1 protocol\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:51
L39	163	I34 and I38	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:52
L40	36795	(packet\$6 datagram\$1 message\$1 field\$1 value\$1) near7 ((network\$3 near3 layer\$1) (ip near3 protocol\$1) tcp/udp tcp udp protocol\$1 (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:34
L41	162	I39 and I40	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:55
L42	30789	(packet\$6 datagram\$1 message\$1 field\$1 value\$1) near4 ((network\$3 near3 layer\$1) (ip near3 protocol\$1) tcp/udp tcp udp protocol\$1 (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:55
L43	161	I39 and I42	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:56
L44	120	I43 and rule\$1	USPAT; IBM_TDB	OR	OFF	2006/09/18 16:56
L45	1619	(translat\$4 chang\$3 modif\$9 alter\$9 transform\$8 decod\$3 decrypt\$4 decipher\$8) near6 (plaintext\$1 plain-text\$1 (plain near3 text\$1) cleartext\$1 clear-text\$1 (clear near3 text\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:35

## EAST Search History

L46	7650	(field\$1 value\$1 configur\$4 paramet\$6 set\$4 appoint\$4) near7 ((network\$3 near3 layer\$1) (ip near3 protocol\$1) tcp/udp protocol\$1 tcp udp (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1)) with (packet\$6 datagram\$1 message\$1 header\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:16
L47	72	I45 and I46	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:16
L48	24	I47 and I35	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:17
L49	1516	I35 and I31	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:23
L50	15905	(portion\$1 block\$1 part\$1 packet\$6 datagram\$1 message\$1 field\$1 value\$1 configur\$4 paramet\$6 set\$4 appoint\$4) near5 ((network\$3 near3 layer\$1) (ip near3 protocol\$1) tcp/udp tcp (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:24
L51	675	I49 and I50	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:26
L52	17	I51 and I27	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:35
L53	9975	(packet\$6 datagram\$1 message\$1 field\$1 value\$1 header\$1 configur\$8 parameter\$1) near4 ((network\$3 near3 layer\$1) (ip near3 protocol\$1) tcp/udp (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:46
L54	1400	(translat\$4 chang\$3 modif\$9 alter\$9 transform\$8 decod\$3 decrypt\$4 decipher\$8) near4 (plaintext\$1 plain-text\$1 (plain near3 text\$1) cleartext\$1 clear-text\$1 (clear near3 text\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:35
L55	53	I53 and I54	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:36
L56	37053	(protocol\$1 header\$1) near5 (packet\$6 datagram\$1 message\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:36
L57	50	I55 and I56	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:37
L58	44	I55 and I37	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:37

## EAST Search History

L59	8059	(packet\$6 datagram\$1 message\$1 ) near4 ((network\$3 near3 layer\$1) (ip near3 protocol\$1) tcp/udp (transport\$1 near3 layer\$1) (transport\$1 near3 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:47
L60	1596	(encrypt\$8 encipher\$9 cipher\$9 crypto\$9 algorithm\$1) near6 (header\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:49
L61	361	l59 and l60	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:50
L62	21	l61 and l45	USPAT; IBM_TDB	OR	OFF	2006/09/18 17:51